# **Site Supervisor**

## Update Advisory Site Supervisor 2.05F01

A new general release version of the Site Supervisor Controller firmware, version 2.05F01, has been released and is available for customer upgrade. For more information, visit the Site Supervisor page on the Copeland website:

https://www.copeland.com/en-us/products/controls-monitoring-systems/ facility-controls-electronics/facility-and-system-controls/supervisory-controlsplatform



## Site Supervisor 2.05F01 Adds the Following Features and Enhancements:

Table 1: Site Supervisor 2.05F01 Fix and Feature Matrix

Fix and Feature Descriptions	Supported in Site Supervisor 2.05F01
CoreSense™ Large Ref Scroll-K5 integration is native.	✓
CoreSense™ISD 2.0 integration is native (up to 99 instances).	✓
CoreSense™ Discus integration is native (up to 99 instances).	✓
CoreSense™ Communication integration is native.	✓
<ul><li>Home Page</li><li>➢ System Summary performance enhancement.</li></ul>	✓
Inventory Page performance enhancement.	✓
Alarm Page performance enhancement.	✓
The user can now select the Alarm Page as home page.	✓
Com4 is now fully configurable and no longer dedicated to the 4.3" Display.	✓
<ul> <li>Enhanced MultiFlex IO Configuration</li> <li>The user no longer needs to turn on each IO point. The point will activate when digital or analog configuration is selected.</li> </ul>	✓
Expanded descriptions of sensor types added to the 16AI drop-down list.	✓
MRLDS-250 Sensor type added to the 16AI drop-down list.	✓





Fix and Feature Descriptions	Supported in Site Supervisor 2.05F01
Error message added to Onboard IO relay configuration. When a relay is already assigned, the user will receive an error message.	*
Support for linear sensor type configuration added to Onboard IO and IPX modules.	<
XC1015 V1.8 integration support has been added, non-native.	✓
CHINT Energy Meter integration support has been added, non-native.	✓
XCM25D V1.3 ZX020 integration support has been added, non-native.	✓
XCM25D V1.3 ZXD090 integration support has been added, non-native.	<
XCM25D V1.4 ZXD160 integration support has been added, non-native.	✓
XCM25D V1.4 ZXLD160 Integration support has been added, non-native.	✓
Stream Services and Online Status Rollover.	✓
Drag and Drop into new category is improved.	✓
Default points for graphing is improved.	✓
Header row is always visible for tables in the Alarm page.	✓
<ul><li>Mobile Phone</li><li>&gt; Responsive design is improved.</li></ul>	✓
Removed limits on graphing points.	✓
Security Enhancements added.	✓
<ul><li>Custom User Role and Permissions</li><li>The user can now create a custom user role.</li></ul>	✓
Manage user page enhancement.	
Combined Licensing page with File Management page.	✓
Warning dialog added when delegating a subcategory on the Site Aggregator.	✓
Add "Apply to All" function when adding custom summary properties to summary tiles.	✓
Floorplan Zoom to Full Page option is now available.	✓
Floorplan is now available as a licensed feature.	✓

## Who Should Update

Copeland recommends that all customers upgrade their Site Supervisor Controllers and PCs running Site Manager to the latest version to take advantage of the latest fixes and enhancements listed above.

All customers who meet one or more of the requirements below are advised to upgrade to Site Supervisor 2.05F01:

Customers using any of the features listed in Table 1:

### Site Manager Compatibility

#### Table 2: Site Manager Compatibility Matrix

Version Compatibility		
Site Manager Version	Site Supervisor	
17.4	2.05F01 and above	

## Site Manager Update Required

Site Supervisor requires Site Manager 17.4 or greater. If communication with Site Manager is required, upgrade Site Manager to version 17.4 first, then update the Site Supervisor Controllers. Contact Copeland for more information about upgrading.

## For Technical Support:

- +1770-425-2724
- ColdChain.TechnicalServices@Copeland.com

Scan the QR code to access the Supervisory Control Platform web page:



Visit our website at copeland.com/en-us/products/controls-monitoring-systems for the latest technical documentation and updates. For Technical Support call 833-409-7505 or email ColdChain.TechnicalServices@Copeland.com

026-4039 R1

The contents of this publication are presented for informational purposes only and they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. Copeland reserves the right to modify the designs or specifications of such products at any time without notice. Responsibility for proper selection, use and maintenance of any product remains solely with the purchaser and end-user. @2024 Copeland is a trademark of Copeland LP.

